

Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) EP 1 054 441 A3


(12)

EUROPEAN PATENT APPLICATION

- (88) Date of publication A3: 02.01.2003 Bulletin 2003/01
- (51) Int Cl.7: **H01L 21/02**, H01L 21/285, H01L 21/768
- (43) Date of publication A2: 22.11.2000 Bulletin 2000/47
- (21) Application number: 00304334.6
- (22) Date of filing: 22.05.2000
- (84) Designated Contracting States:
 AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
 MC NL PT SE
 Designated Extension States:
 AL LT LV MK RO SI
- (30) Priority: 21.05.1999 US 316681
- (71) Applicant: SHARP KABUSHIKI KAISHA Osaka 545-8522 (JP)
- (72) Inventors:
 - Zhang, Fengyan
 Vancouver, WA 98683 (US)

- Maa, Jer-shen
 Vancouver, WA 98684 (US)
- Hau, Sheng Teng
 Camas, WA 98607 (US)
- Zhuang, Wci-Wei
 Vancouver, WA 98683 (US)
- (74) Representative: West, Alan Harry et al R.G.C. Jenkins & Co. 26 Caxton Street London SW1H 0RJ (GB)
- (54) Composite iridium-metal-oxygen barrier structure with refractory metal companion barrier and method for its fabrication
- (57) An Ir-M-O composite film (16) has been provided that is useful in forming an electrode of a ferroelectric capacitor, where M includes a variety of refractory metals. The Ir combination film is resistant to high temperature annealing in oxygen environments. When used with an underlying barrier layer (14) made from the same variety of M transition metals, the resulting conductive barrier also suppresses to diffusion of Ir into any underlying Si substrates. As a result, Ir silicide products are not formed, which degrade the electrode interface

characteristics. That is, the ir combination film remains conductive, not peeling or forming hillocks, during high temperature annealing processes, even in oxygen. The ir-M-O conductive electrode/barrier structures are useful in nonvolatile FeRAM devices, DRAMs, capacitors, pyroelectric infrared sensors, optical displays, optical switches, plezoelectric transducers, and surface acoustic wave devices. A method for forming an Ir-M-O composite film barrier layer (16) and an Ir-M-O composite film ferroelectric electrode are also provided.



Printed by Jouve, 75001 PARIS (FR)

EP 1 054 441 A3



EUROPEAN SEARCH REPORT

Application Number EP 00 30 4334

		RED TO BE RELEVANT		
Category	Citation of document with Indic of relevant passage	Relevant to daim	CLASSIFICATION OF THE APPLICATION (INLCL7)	
X	PATENT ABSTRACTS OF J vol. 1998, no. 14, 31 December 1998 (199 -& JP 10 242409 A (50) 11 September 1998 (19)	10-14, 20,21, 23-25, 29,31,	H01L21/02 H01L21/285 H01L21/768	
A	* abstract * * paragraph '0026! - p	36,37,40 26-28, 32,34, 38,39		
K	figures 2,3,5 * PATENT ABSTRACTS OF JA vol. 1998, no. 05,	APAN	1,5~10,	·
-	30 April 1998 (1998-04 -& JP 10 022469 A (MIT CORP), 23 January 1998 * abstract *	SUBISHI ELECTRIC	13,14, 23,24, 29,31, 33,36-40 25,26,34	
3	-% US 6 015 989 A (MIK 18 January 2000 (2000- column 8, line 15 - column 8, line 56 - column 14, line 1 - column 16, line 58 - claim 1; figures 7-14	01-18) line 36 * column 12, line 27 * line 43 * column 17. line 26:		TECHNICAL FIELDS SEARCHED (INC.CI.7)
	JS 5 905 278 A (NAKABA I8 May 1999 (1999-05-1	1-7, 10-17, 19-21, 23,24, 27,28, 31,33,		
*		column 9, line 7 * column 11, line 48	34,36-40	
f	column 13, line 45 - igures 8D,G *	column 14, line 3;		
		-/		
τ	he present search report has been o	irawn up for all claims		
P	lace of enactr	Date of completion of the search		Examiner
Ţ	HE HAGUE	1 November 2002	Micke	e, K
X : particut Y : particut docume A : technolo	EGORY OF CITED DOCUMENTS Arriv relevant if taken alone Arriv relevant if combined with another and of the same category opical background Itten disclosure	T : Theory or principle E : satiler patent docu after the filing date D : document clied in t L : document clied for	meni, bul publishe the application other reasons	ention id on, or

EP 1 054 441 A3



EUROPEAN SEARCH REPORT

Application Number EP 00 30 4334

Category		DERED TO BE RELEVANT Indication, where appropriate.		
Jaiogray	of relevant pa	esages	Relevant to daim	CLASSIFICATION OF THE APPLICATION (INLC17)
X	DE 197 37 323 A (P 11 March 1999 (199	HILIPS PATENTVERWALTUN 19-03-11)	10-17, 19-21,	
	* the whole docume	nt *	23,24, 31,36-40	
(US 5 838 605 A (BA 17 November 1998 (ILEY RICHARD A) 1998-11-17)	1~7,10, 14,15, 17,19, 23,33,	
	* column 3, line]; figures 7-9 *	1 - column 5, line 14;	36,38-40	
- 1	WO 00 34988 A (PRIN RAINER (DE); INFINI 15 June 2000 (2000-	MIG ROBERT ;BRUCHHAUS EON TECHNOLOGIES AG (DE -06-15)	1,5,6,8, 9,11,13, 14,20, 24,	
			27-29. L	
	* the whole documen	it *	33,37-40	TECHNICAL FIELDS SEARCHED (InLCLT)
	he present search report has b	ean drawn up for all claims		
	lece of search	Date of comptetion of the search		Examiner
	HE HAGUE	1 November 2002	Micke	e, K
K : particul Y : particul docume X : technol	EGORY OF CITED DOCUMENTS arly relevant if taken alone firly relevant if combined with anoth inf of the sums category ogical background titlen disclosure	E. I BAIRD P BROWN CO	in the application	ortion d on, or

EP 1 054 441 A3

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 00 30 4334

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

01-11-2002

Patent docum cited in search r	ebout evit	Publication date		Patent family member(s)	Publication date
JP 10242409	Α	11-09-1998	US	6011284 A	04-01-2000
JP 10022469	A	23-01-1998	US	6015989 A	18-01-2000
us 5905278	A	18-05-1999	JP US	10173138 A 6337238 B1	26-06-1998 08-01-2002
DE 19737323	Α	11-03-1999	DE	19737323 A1	11-03-1999
US 5838605	Α	17-11-1998	US	5985713 A	16-11-1999
VO 0034988	A	15-06-2000	DE CN WO EP US US	19857039 A1 1334960 T 0034988 A1 1149408 A1 6377311 B1 2002017676 A1	21-06-2000 06-02-2002 15-06-2000 31-10-2001 23-04-2002 14-02-2002

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82